

Figure 3 - Ladies 8 Rolled Neck Sweater Sleeve




Figure 4 - Ladies 8 Rolled Neck Sweater Neckband




Figure 2 - Ladies 8 Rolled Neck Sweater Front




Figure 1 - Ladies 8 Rolled Neck Sweater Back

FRONT:

Follow steps 1 and 2 as for back.

Armhole. Mark this row at both ends for armhole. Continue until armhole measures 5.0 ins (30 rows).

Shape neck. Work both sides at the same time. Work 39 sts. Slip the next 15 sts to a holder. With a second ball of yarn, work remaining 39 sts. Dec 1 st at neck edge every row 10 times, until 29 sts remain.

Work even until armhole measures 8.7 ins (52 rows). Cast off 29 shoulder sts loosely.

SLEEVES:

Cast on 37 sts on size 5 needles. Work in K1P1 ribbing for 2.0 ins. Inc 5 sts evenly across the row to 42 sts total.

Change to size 6/7 needles and Stocking stitch.

Inc 1 st at each end of every 3rd row 3 times, then every 4th row 19 times to 86 sts (85 rows total, excluding hem).

Work even until sleeve measures 14.6 ins (88 rows), excluding hem.

Cast off loosely.

LEFT SHOULDER SEAM:

1. Sew front to back along left shoulder seam.

ROUND (CREW) FRONT NECK ROLLED EDGE COLLAR:

--- on size 6/7 needles.

--- The rolled edge collar is worked in stocking stitch, which will roll naturally, with the purl side showing. If you prefer to work on a circular needle, and eliminate the collar seam, sew the right shoulder before starting the collar.

With right side of work facing, pick up and work 2 sts from right back neck edge, 35 sts from back neck holder, 2 sts from left back neck edge, 22 sts from left front neck edge, 15 sts from front neck holder and 22 sts from right front neck edge. Total 98 sts.

Work 2.5 ins (16 rows). Cast off loosely.

Finishing. Sew remaining shoulder seam. Sew collar seam with invisible seam. Collar can be left to roll naturally, or tacked in place. For a fuller look, it can be stuffed and then tacked in place.

FINISHING:

1. Sew sleeve top to armhole, easing to fit. We use a crochet to attach sleeves. Sew side and sleeve seams. Sew any remaining seams.

2. Darn/weave/sew in all loose ends.

AMOUNT OF YARN REQUIRED TO MAKE GARMENT: THIS IS AN APPROXIMATE ESTIMATE ONLY. Measure a sample piece for a more accurate calculation. We recommend purchasing 1-2 extra skeins of the same dye lot. Amount needed:

3.0 for body and sleeves
1.4 for ribbing and/or hems
0.6 for collar/hood
15.0 Ounces TOTAL

Pattern designed and edited by: [Hobbie's House of Wizard Wear Designs](http://www.hobbieshouseofwizardwear.com) © 2006 with KNITWARE DESIGN (Version 2.50.2) from Morningdew Consulting Services Ltd, Victoria, BC CANADA
ph: (250)652-4097 fax: (250)652-5285 web: www.knitware.ca email: info@knitware.ca

Ladies 8 Roll Neck Initial Sweater

Regular length, straight, roll neck pullover sweater with ribbed bottom edge. Drop shoulder style with full length, tapered sleeves with ribbed cuffs. Round (crew) front neck and shallow back neck. Features a rolled edge neckband.

[Pattern For Personal Use Only](#)

SIZE: Standard Ladies 34 [Ladies 8]

YARN: Dalegarn "Sisik"; Color of your choice; 50 gr. = 148 yards

GAUGE: Stocking stitch over 4 in = 10 cm: 20.0 sts by 24.0 rows. Body knit on # 6/7 US needles; Ribbing knit on # 5 US needles or whatever size needles achieve required stitch and row gauge.

FINISHED measurements in inches with an "average" fit.

- Bust/Chest:36.3" [2.3" of added wearing ease]
- Width at bottom of sweater body:36.3" [use of smaller needles to knit ribbing will cause fabric to pull in]
- Total Armhole:16.9"
- Top Neck Opening:7.0"
- Front Neck Width:3.2
- Front Neck Depth:3.4
- Width of sleeve above ribbing:7.9"
- Width of sleeve hem:7.1"
- Back Neck Width: 7.0
- Total Sleeve Length: 16.6"
- Back Neck Depth: 0.5"
- Sweater Body Length: 22.4" [can be increased by adding rows during Step 2]
- Rib Hem Length: 2.0"
- Rolled Collar depth: 2.5"
- Hem Length: 2.0

Note: Read ALL these instructions thoroughly BEFORE starting to knit. There may be sections where there are two shapings to work at the same time (such as necklines or waist shaping).

BACK:

Cast on 93 sts on size 5 needles. Work in K1P1 ribbing for 2.0 ins.

Change to size 6/7 needles and Stocking stitch. Work even until piece measures 12.0 ins (72 rows), excluding hem.

Mark this row at both ends for armhole. Continue until armhole measures 8.0 ins (48 rows).

Shape neck. Work both sides at the same time. Work 29 sts. Slip the next 35 sts to a holder. With a second ball of yarn, work remaining 29 sts.

Work even until armhole measures 8.7 ins (52 rows). Cast off 29 shoulder sts loosely.